



# **Using Norstar features**

To	use	3
No	rsta	ľ
fea	ture	!

1. Press Feature , and enter the desired feature code on the key pad.

OR

Press the programmed memory key.

2. Follow the display messages.

**Note:** On the M7310 and M7324 telephones, some features are also available on display keys.

If you change your mind while entering a feature code, press Feature to return to your previous state. Most features can be accessed when you have an active call. If you use the Fis key to end a feature, you may drop that active call.

## To program a Norstar

- 1. If you are on a call or have an open line, press [Hold Or [RIS]].
- 2. Press Feature \* 3.

## feature on a memory key

- Press the memory key that you want to program. (This step is not required on the M7100 telephone.)
- 4. Press Feature and enter the feature code on the key pad.

Note: For more detailed information, see the person in charge of your system.

## **Norstar features**

Background Music	Feature 8 6 Cancel Feature # 8 6 Listen to music (provided by your office) through your telephone speaker when you are not on a call.	
Call Duration Timer	Feature 7 7 Briefly display the approximate length of your current or most recent call.	
Call Forward	Feature 4 Cancel Feature # 4 Send your calls to another telephone within your Norstar system.	
Call Park	Feature 7 4 Automatically put a call on hold so that it can be retrieved from any telephone in your Norstar system. The display shows a retrieval code (101 or 102).	
Call Park retrieval	Intercom 1 0 1 or 1 0 2  Answer a parked call from any telephone by pressing Intercom and dialling the retrieval code (101 or 102). On the M7100 telephone, dial the retrieval code only.	
Call Pickup Group	Feature 7 5 Answer a call that is ringing at another telephone within the same pickup group. The	

external call that has been ringing longest is answered first.

Conference	Establish a conference call between yourself and two other parties.  To form a three-way conference call:  1. Make or answer the first call. 2. Put the first call on hold. 3. Make or answer the second call. 4. After the second call is connected, press Feature 3 (or press Conf/Trans if programmed). 5. Press the line key of the first held call. (This step is not required on the M7100 telephone.) 6. To end the conference call, press Als.  Note: Normally, when one person drops out of a conference, the other two remain connected. However, if the other two people are on exchange lines, they will be disconnected.  Managing three-way conference calls  See the person in charge of your system for complete instructions on how to:
	Put a conference on hold - Put your end of the call on hold; the other two callers can still speak to each other.  Split a conference - Speak privately to one of the callers.  Disconnect one party - Disconnect one call and stay connected to the other.  Independently hold two calls - Put both parties on hold as separate calls.
Contrast adjustment	Feature * 7 Adjust the contrast of your telephone display. Press Feature * 7, then press a number from 1 to 9 (UP or DOWN on the M7310 or M7324 telephones) to select the correct level.
Dialling modes	Choose one of three methods for dialling: Standard Dial, Automatic Dial, or Pre-Dial.  Standard Dial: Select a line, then dial the telephone number. Standard dial is available even when another dialling mode is selected.  Automatic Dial: Dial a telephone number on the key pad without picking up the handset or pressing a line key.  Pre-Dial: Dial a telephone number, then press a line key to place the call. Before pressing the line key, you can revise the dialled telephone number by pressing BKSP (M7310 and M7324 telephones) or 4) on the volume bar (M7208 and M7100 telephones).  Note: To pre-dial on a line pool, enter the line pool access code followed by a telephone number, then press Intercom (or lift the handset on the M7100 telephone).  To change your method of dialling:  1. Press Feature * B 2.  2. To select the mode, press * or NEXT.
Do Not Disturb	3. To store the mode, press Hold (or OK on the M7310 and M7324 telephones).  Feature 8 5 Cancel Feature # 8 5  Prevent incoming calls from ringing at your telephone.

Group Listen	Gancel Feature # 8 0 2 Cancel Feature # 8 0 2 Use both the handset and speaker while you are on a call. To avoid electronic feedback hold the handset away from the telephone speaker during a call, and press Fils before hanging up.  Note: You cannot use the Group Listen feature with a headset.
Hold	Hold: Temporarily suspend a call while you perform another task.  Feature 7 9 or Feature Hold  Exclusive Hold: Temporarily suspend a call and prevent other telephones from picking it up.  Line Or Intercom
	Automatic Hold*: Put your active external call on hold by selecting another line.  Hold retrieval: Press Line for the held call. (Press Hold on the M7100.)
Key Inquiry	Feature * 0 Check what is programmed on any key. Use when labelling memory keys.
Last Number Redial	Feature 5 Automatically redial the last external telephone number that you dialled.
Line pools	Feature 6 4 With a line pool, a group of telephones can share several lines. This eliminates the need for each telephone to have a separate key for every line.  To use a line pool:  1. Press Feature 6 4 or press Intercom  2. Enter a line pool access code.  For factor seeses you can program a memory key (Feature 1990) with the line pool.
	For faster access, you can program a memory key (Feature * 3) with the line pool feature code and a line pool access code. Your system can have up to three line pools.
Line Redirection <sup>†</sup>	Feature 8 4 Cancel Feature # 8 4  Redirect one or more lines on your telephone so that calls coming in on the line(s) are directed to one or more locations outside your Norstar system.  Note: You cannot redirect an exchange line to another exchange line.
Long tones	Feature 8 0 8 Long tones are sometimes necessary to communicate with devices such as fax or answering machines that use longer tone signals. A long tone lasts for as long as you press a key on the telephone key pad.
Messages	Feature 1 Send a message to a colleague's display requesting that they call you.  To view and reply to your messages:  1. Press Feature 6 5, or MSG.  2. Press ** and **, or NEXT to view your message list.  3. Press 0, or CALL to call the person who left you the message.  To erase a message:  1. Press Hold , or ERASE while viewing a message.
	<sup>†</sup> These features are not available on the M7100 telephone.

Moving line keys <sup>†</sup>	Change the position of your line keys.  Press Feature * 8 1.  Press the line key that you want to move.  Press the key that you want the line to move to.  Press As.  The functions of the two keys are exchanged. Line keys cannot be exchanged with intercom or Handsfree/Mute keys.
Page =	Feature 6 1 and zone (0 to 3) (0 activates all zones) Internal: Make announcements to all, or to a specific group, of Norstar telephones through the telephone speakers.  Feature 8 2 External: Make announcements through your building's loudspeaker system (if connected).
*	Feature 6 3 and zone (0 to 3) (0 activates all zones)  External/internal: Make announcements through both your building's loudspeaker system and the Norstar telephone speakers.  Feature 6 0 and code (1 to 3) then zone (0 to 3) (0 activates all zones)  General: You have a choice of making any of the type of page announcements listed above.  Press 1 or EXTNS for internal, 2 or SPKR for external, or 3 or BOTH for both.
Pause	Feature 7 6 Insert a 3.5 second delay in a number being dialled. For pulse dialling only: * also inserts a 3.5 second delay in a number being dialled.
Priority Call	Feature 6 9 Interrupt a person on a call or using Do Not Disturb. You can block an incoming Priority Call while you are busy on your telephone by entering the Do Not Disturb feature code (Feature 8 5) or by pressing BLOCK on the M7310 or M7324 telephones.
Privacy	Feature 8 3 Cancel Feature # 6 3  Permit another telephone that shares your line to join your call. Privacy is re-established once you end your call.
Programmed Release	Feature * 8 9 When programmed at the end of an external autodial sequence, this feature code performs the same function as Rs.

 $<sup>^{\</sup>dagger}\,$  These features are not available on the M7100 telephone.

Programming your memory keys	Feature * 1  External Autodial: Store an external telephone number onto a memory key for one-touch access to that telephone number.
	Feature * 2 Internal Autodial: Store an internal telephone number onto a memory key for one-touch access to that telephone number.
	Feature * 3  Features: Store features onto memory keys for one-touch access to features.
	Note: You cannot assign features to line, intercom, or Handsfree/Mute keys.
Recall	Feature 7 1 Generate a Recall signal to access a PBX or other host exchange.
Restriction passwords	Feature 6 8  Bypass call restrictions applied to your telephone. Press Feature 6 8 and enter a password provided by the person in charge of your system.
Ring Again	Feature 2 Cancel Feature # 2 When another telephone or line pool within your system is busy, or a telephone is not answered, Ring Again signals you to call back when the telephone or line pool becomes available.
Ring type	Feature * 6 Select a distinctive ring to help differentiate between your telephone and others nearby. Enter the feature code and press a number from 1 to 4 (or NEXT on the M7310 and M7324 telephones) to select athe new ring type. To store the new ring, press  Feature .
Ring volume	Feature * 8 0  Make your telephone ring so that you can adjust the volume, even while you are on a call. You can also adjust the volume any time a call is ringing at your telephone.
Run/Stop	Store more than one autodial number or external carrier feature on one memory key by inserting a break point between two numbers or codes. The first press of the memory key dials the first feature or number; the next press dials the next feature or number. You can program up to four dialling sequences separated by break points.
Saved Number Redial	Feature 6 7  To save a number: Enter this code while you are on a call that you have placed. The number appearing on the display is saved.
	To dial the saved number: Enter this code when you are not on a call.

Service
Modes

Feature 8 7 Cancel

Feature # 8 7

Three Service Modes (for alternate call answering arrangements) can be turned on or off at the designated Control extension for each exchange line. Control extensions and Service Mode settings are assigned in Administration. See the person in charge of your system for details.

### **Show Time**

Feature 8 0 3

Briefly display the date and time while you are on a call.

### Speed Dial

0 Feature

Dial external telephone numbers using a two-digit code. There are two types of speed dial codes: system (01 to 70) and personal (71 to 94). System speed dial codes can be used from any Norstar telephone in the system and are assigned by the person in charge of your system. Personal speed dial codes can be used exclusively at your telephone.

## To use system and personal speed dial:

- 1. Press Feature 一同.
- 2. Enter the two-digit code for the number that you want (01 to 70 for system speed dial, 71 to 94 for personal speed dial).

If Speed Dial is programmed to select a specific line, and that line is busy or not available at your telephone, the system will use the prime line. If the prime line is not available or not assigned, you will be prompted to select a line.

## To program personal speed dial numbers:

Feature \* 4

- 1. If you are on a call or have an open line, press [Hold
- 2. Press Feature \* 4 to enter personal speed dial codes.
- 3. Enter a two-digit code (from 71 to 94).
- 4. If you wish to specify an outgoing line, select either a line key, line pool or intercom. If none is selected, the outgoing call will be routed automatically.
- 5. Dial the telephone number to be assigned to that code. Telephone numbers cannot exceed 24 digits.
- 6. Press Hold to finish programming.
- 7. Keep a record of each personal speed dial code. (See the person in charge of your system for system speed dial codes.)

**Note:** Speed dial codes cannot be assigned while someone is programming your Meridian Norstar\* Business Communication System.

## Transfer

70 Feature

Send a call to another telephone within your Norstar system or externally.

**Note:** You cannot transfer a call on an exchange line to another exchange line call.

#### Transfer with announcement

To announce the call you are transferring before you complete the transfer:

- Make or answer a call.
- 2. Press Feature 7 0 (or TRANSFER on the M7310 and M7324 telephones).
- 3. Call the person to whom you want to transfer the call.
- 4. Stay on the line until the person answers the telephone.
- 5. Press [RIS] (or OK on the M7310 or M7324 telephones) to complete the transfer.

## Transfer Transfer without announcement (continued) To transfer a call without announcing the transfer: Make or answer a call. 2. Press Feature 7 0 (or TRANSFER on the M7310 or M7324 telephones). 3. Call the person you want to transfer the call to. 4. Press [RIS] (or OK on the M7310 and M7324 telephones) before the person you are transferring the call to answers the telephone. **Note:** If an external call is transferred to a busy internal or network extension, or is not answered after a few rings, the call automatically rings you back and the display indicates that the extension was busy or that no one answered. Trunk Answer Feature 8 0 0 Pick up an external call that is ringing on a line that has been placed into a Service Mode. You can use Trunk Answer from any telephone within the Norstar system. This feature does not work on lines which have been configured as private. Voice Call 6 6 Feature

Voice Call

Feature

8 8

Cancel Feature # 8 8

deny

Prevent your telephone from receiving Voice Calls; permit only ordinary ringing calls.

telephone without first making the other telephone ring.

Make a voice announcement or begin a conversation through the speaker of another

<sup>\*</sup> Meridian and Norstar are trademarks of Northern Telecom.