
ISSUE C

TELEPHONE No. 756 PRESS - BUTTON TELEPHONE WITH 10 PPS SIGNALLING AND PROVISION FOR ONE-TWO PRESS-BUTTONS



REFERENCES :-

FACILITIES												. TI B4 B0143
												. TI C3 B3024
MAINTENAN	CE.											. TI E5 B2829
TELEPHONE	No. 74	6.										, DGM N846
ALIVILIADY	IINITE											-{DGM N848 DGM N4700 . DGM N849
AUXILIAIT	014113		•	•	•	٠	٠	•	•	٠	•	"{DGM N4700
PRESS-BUT	TTONS											. DGM N849

© BRITISH TELECOMMUNICATIONS 1963

BRITISH TELECOMMS		С	PAGE 2 CANCELLED, NOTE 8 DELETED, TITLE PR	ESS-EUTTON MERLIN/SEI-1/2	13 - 7 - 83
HQRS	SUE	В	NOTE I REWRITTEN, NOTES 7& 8 ADDED, MINOR	AMENDMENTS. ME/PD I·I·I	23.7.80
PAPER:- W DISTN:-	15.51	Α	MADE WHITE, PAGE 3 AND NOTES 5 & 6 ADDED REWRITTEN, PUSH-BUTTON UNIT AND ILLUSTRAMINOR AMENDMENTS. E.S.		28-11-79
GENERAL		\overline{Z}	Agre	TD 7-1-2	29 - 10 - 76

NOTES:-

- I TELEPHONE No.750 IS A 10 BUTTON 10 PPS SIGNALLING PUSH-BUTTON TELEPHONE INTENDED FOR USE IN PLACE OF DIAL TELEPHONE No.740 ETC. IT DOES NOT REQUIRE A BATTERY OR EXTERNAL POWER-UNIT.
- 2 THE TELEPHONE No.756 IS SIMILAR TO THE TELEPHONE No.746 AND MAY BE FITTED IN ACCORDANCE WITH DIAGRAM No.846 AND 700-TYPE TELEPHONE PLAN DIAGRAMS.
- 3 THE TELEPHONE WILL ACCOMMODATE THE RANGE OF ADDITIONAL PARTS FOR THE TELEPHONE No.746 SEE DIAGRAMS N848 AND N4700.
- 4 A LIGHTNING PROTECTOR, SGI, IS CONNECTED BETWEEN TERMINALS T8-T19. THIS COMPONENT MUST NOT BE REMOVED. IN SOME VERSIONS THIS COMPONENT MAY BE MOUNTED ON THE PUSH-BUTTON UNIT ASSEMBLY AND CONNECTED TO T19 BY A GREEN WIRE OR MOUNTED DIRECTLY ON THE TELEPHONE-UNIT.
- 5 THE TELEPHONE No.756 CANNOT BE USED FOR THE CONTROL OF SUBSCRIBERS GROUP TRANSFER, EXCEPT FOR TXE2 AND TXK3 EXCHANGES WHERE NO TRANSFER EQUIPMENT IS REQUIRED AT THE CUSTOMERS PREMISES.
- 6 THE TELEPHONE No.756 CANNOT BE USED AS THE CARRIER SUBSCRIBER ON THE WB900 '1+1' SUBSCRIBERS CARRIER SYSTEM.
- 7 THE USE OF MICROPHONE INSERT No. 21A IN THE MARK 4 VERSION IS NOT RECOMMENDED.

PAGE 2 CANCELLED

