


TELEPHONE No. .../758
PUSH-BUTTON TELEPHONE WITH 10 P.P.S. SIGNALLING
AND PROVISION FOR 1-4 PRESS-BUTTONS



REFERENCES :-

FACILITIES	TI B4 B0144
INSTALLATION	TI C3 B3026
MAINTENANCE	TI E5 B2826
TELEPHONE No. 740	DGM N840
AUXILIARY UNITS	{ DGM N848
	{ DGM N4700
PUSH-BUTTONS	DGM N849

NOTES :-

- 1 1/758
THIS TELEPHONE CONTAINS AN ELECTRONIC CIRCUIT, IN PLACE OF THE DIAL, WHICH IS POWERED DIRECTLY FROM THE LINE CURRENT. POWER IS ONLY EXTRACTED FROM THE TELEPHONE LOOP DURING PULSING. THE TELEPHONE DOES NOT REQUIRE A BATTERY OR EXTERNAL POWER-UNIT.
- 2,3 AND 4/758
THESE TELEPHONES CONTAIN AN ELECTRONIC CIRCUIT TO PERFORM THE 'DIAL OFF NORMAL' AND IMPULSING FUNCTIONS. THE CIRCUIT IS CONNECTED BETWEEN THE BELL AND TRANSMISSION CIRCUITS AND IS POWERED DIRECTLY FROM LINE CURRENT DURING IMPULSING. ANY CONNEXIONS MADE BETWEEN THE BELL AND TRANSMISSION CIRCUITS COULD RESULT IN DAMAGE TO THE UNIT. THE TELEPHONES DO NOT REQUIRE A BATTERY OR EXTERNAL POWER-UNIT.
- 2 THE TELEPHONE No.758 IS SIMILAR TO THE TELEPHONE No.740 AND MAY BE FITTED IN ACCORDANCE WITH DIAGRAM N840 AND 700-TYPE TELEPHONE PLAN DIAGRAMS.
- 3 THE TELEPHONE WILL ACCOMMODATE THE RANGE OF ADDITIONAL PARTS FOR THE TELEPHONE No.740 -SEE DIAGRAMS N848 AND N4700.
- 4 A LIGHTNING PROTECTOR, SGI, IS CONNECTED BETWEEN TERMINALS T8-TI9. THIS COMPONENT MUST NOT BE REMOVED. IN SOME VERSIONS THIS COMPONENT MAY BE MOUNTED ON THE PUSH-BUTTON UNIT ASSEMBLY AND CONNECTED TO TI9 BY A GREEN WIRE OR MOUNTED DIRECTLY ON THE TELEPHONE-UNIT.
- 5 THE TELEPHONE __/758 CANNOT BE USED FOR THE CONTROL OF SUBSCRIBERS GROUP TRANSFER, EXCEPT FOR TXE2 AND TXK3 EXCHANGES WHERE NO TRANSFER EQUIPMENT IS REQUIRED AT THE CUSTOMERS PREMISES.
- 6 THE TELEPHONE __/758 CANNOT BE USED AS THE CARRIER SUBSCRIBER ON THE WB900 '1+1' SUBSCRIBERS CARRIER SYSTEM.

PO TELECOMMS HQRS	ISSUE		
PAPER :- W			
DISTN :-			
GENERAL		<i>John Mitchell</i>	TD 7-1-1 11-11-79

FIG.1 1/758 CIRCUIT DIAGRAM SHOWING CONNEXIONS AS ISSUED




FIG.2 2,3 AND 4/758 CIRCUIT DIAGRAM SHOWING CONNEXIONS AS ISSUED

