HOUSE EXCHANGE SYSTEMS Nos. 1 & 2 ILLUSTRATIONS OF LABELS No. 222 AH FOR USE WITH TELEPHONES INTERCOM. No. 1/1.... & 1/2....

Q(L)110

TABLE I

QUANTITIES AND TYPES OF LABELS No.222...FOR STATION IDENTIFICATION. (SEE NOTE 4,) ILLUSTRATIONS OF MARKINGS ARE GIVEN ON PANELS 2 & 3.


TYPE OF INSTALLATION	NUMBER OF EXCHANGE LINES	TOTAL NUMBER OF STATIONS	LABEL No. 222	QUANTITIES OF LABELS No. 222 REQUIRED	TOTAL No. OF LABELS REQUIRED (SEE NOTE3)
No.I	1	5	С	ONE LABEL PER MULTIPLE STATION	5
N o.	_	5	D	ONE LABEL PER MULTIPLE STATION	5
No.1	_	6	G	SET INCLUDES SUFFICIENT LABELS FOR ALL MULTIPLE STATIONS	1 SET
No. 2	2	10	C&F	ONE OF EACH TYPE OF LABEL PER MULTIPLE STATION	20
No.2	2	10	D&F	ONE OF EACH TYPE OF LABEL PER MULTIPLE STATION	20
No.2	2	11	Н	SET INCLUDES SUFFICIENT LABELS FOR ALL MULTIPLE STATIONS	ISET
No.2	I	10	CLE	ONE OF EACH TYPE OF LABEL PER MULTIPLE STATION	20
No.2	1	10	D & E	ONE OF EACH TYPE OF LABEL PER MULTIPLE STATION	20

NOTES:-


- SET INCLUDES SUFFICIENT LABELS No. 222..... FOR ALL MULTIPLE STATIONS AT AN INSTALLATION WITH 6 STATIONS.
- SET INCLUDES SUFFICIENT LABELS No. 222..... FOR ALL MULTIPLE STATIONS AT AN INSTALLATION WITH 11 STATIONS.
- 3. FOR INSTALLATIONS WITH LESS THAN 5 (H.E.S. No.1) OR LESS THAN 10 (H.E.S. No.2) STATIONS, ADJUST QUANTITIES REQUIRED ACCORDINGLY.
- 4. LABELS No. 222... REQUIRED FOR INSTALLATIONS SUBSIDIARY TO A P.B.X., P.A.B.X., OR ANY NON STANDARD ARRANGEMENTS NOT SHOWN IN TABLE I, SHOULD BE PREPARED LOCALLY USING THE LABELS No. 222 A,B ORE, SHOWN ON PANEL 2.

Q(L)110 3 PANELS-2

LABELS No.222 ...
FOR USE WITH TELEPHONES INTERCOM. No.1/1... & 1/2 ...



	EXCHANGE
	ı
í	ı
2	2
3	3
4	4
5	5
22 B	222C







CIRCULATION GENERAL Suffix Amende 3€

HOUSE EXCHANGE SYSTEMS Nos. 1 & 2

LABELS No.222

FOR USE WITH TELEPHONES INTERCOM. No. 1/1.... & 1/2....





2 22 H EXAMPLE OF LABELS FOR STATION No. 2 (SEE NOTE 2)