


HOUSE EXCHANGE SYSTEM

TYPICAL SCHEMATIC LAYOUT FOR SYSTEM WITH 1 EXCHANGE LINE, 5 INTERNAL EXTENSION STATIONS, 1 EXTERNAL EXTENSION STATION & 2ND CHOICE MAIN STATION.

Q(L)112

3. 4. 35.



PROTECTOR
HC & F
2/2

TO EXTN. BELL
IF REQUIRED

JACK, NO. 53.
FOR WIRING SEE
DIAG. Q 102
CORD. INST.
NO. 25/02G
BROWN 72"

UNIT,
TRANSFER
INTCM. NO. 1A.

NOTES.

1ST CHOICE MAIN STATION

TO EXTN. BELL
IF REQUIRED
PLUG NO. 2404A
(INCLUDES
BUZZER NO. 21)

CORD. INST.
NO. 25/01G
BROWN 72"

TELEPHONE INTCM. NO. 1.

FOR CONNS. SEE
DIAG. Q 113

TO EXTN. BELL
IF REQUIRED

TELE. INTCM. NO. 1.

JACK
NO. 53
FOR WIRING
SEE DIAG.
Q. 104.

UNIT,
TRANSFER
INTCM.,
NO. 1.
FITTED WITH
ADDITIONAL
INDICATOR
NO. 400K.

FOR CONNS. SEE
DIAG. Q 114.

TELE. INTCM.
NO. 1.

TELE. INTCM. NO. 1.

TELE. INTCM. NO. 1.

2ND CHOICE MAIN STATION

FEDERAL NO. AMENDMENT
 CIRCULATION ADDED
 9-9-38
 4-23-41
 Arranged by