HOUSE EXCHANGE FACILITIES BETWEEN P.B.X. EXTNS. – 2+10 SYSTEM.

PLUG & JACK WIRING FOR TELEPHONE, INTERCOM., No. 1/2 OR 1/2A

Q(L) 206

3 PANELS – 1

11 – 9 – 48

NOTES:–

1. FOR POSITION OF ENTRY POINTS A, B & C ON THE JACK RELATIVE TO THE DESK CORD ENTRY ON THE PLUG SEE DGM. Q(L)204 (NOTE 2)
2. DIMENSIONS SHOWN ABOVE CABLE FORM APPLY WHEN CABLE ENTRY IS AT POINT B
   DIMENSIONS SHOWN BELOW CABLE FORM APPLY WHEN CABLE ENTRY IS AT POINT A
3. GRN. OF PAIR 3 AND WH. OF PAIR 5 TO BE TIED BACK
4. WIRES TIED BACK TO BE LONG ENOUGH TO REPLACE ANY OTHER WIRE.
5. AT STATIONS WHERE PLAN EXTENSION IS REQUIRED OMIT 1 PR. CABLE TO BELL-SET AND CONNECT 4 PR CABLE EITHER AS SHOWN OR AT JUNCTION BOX SEE DGMS. Q(L)209 & 218
6. WHERE PLAN 9 OR OTHER CIRCUIT IS NOT REQUIRED ON EXCH. 2 POSITION STRAP JACK POINT 3 (C WIRE) TO JACK POINT 15 (EARTH).

CIRCULATION	Suffix	Amendt.				PAPER
GENERAL				13-10-58	A	W
				TITLE AMENDED. NOTE 6 ADDED.		

Q(L) 206
3 PANELS-2

CABLE FORMS FOR JACK WIRING FOR TELEPHONE, INTERCOM., No. 1/2 OR 1/2 A



CIRCULATION.
GENERAL

HOUSE EXCHANGE FACILITIES BETWEEN P.B.X. EXTNS. – 2+10 SYSTEM

PLUG & JACK WIRING FOR TELEPHONE, INTERCOM., No. 1/2 OR 1/2A

Q(L) 206
3 PANELS – 3
11-9-48



TITLE AMENDED. NOTE 6 ADDED. 15-7-51 A

AMENDMENT.

W